SHOWA fine various reagents

[illegible]

[illegible]

[illegible]
[illegible]
TEL(03)3270-2701
FAX(03)3270-2720
[illegible]
[illegible] 20 [illegible] 6 [illegible] 6 [illegible]

[illegible] ： 0305-4250

[illegible] ： [illegible]

[illegible]

[illegible]

[illegible] 15 [illegible]

[illegible]

[illegible] ： [illegible]
[illegible] ： [illegible]
[illegible] Calcium Chloride Dihydrate
[illegible] ： [illegible] 70.0 [illegible] 78.0 [illegible] (CaCl2 [illegible])
[illegible] ： $CaCl_2 \cdot 2H_2O$
[illegible] ： 147.01

(1)-176

CAS No. 10035-04-8

15

[illegible]

[illegible]：[illegible]
[illegible]
[illegible]2006[illegible] [illegible]
[illegible]2007[illegible] [illegible]
[illegible]：[illegible]

[illegible]

[illegible]

[illegible]：4.5～9.5（5[illegible] 25°C）
[illegible]：175°C
[illegible]：0.01mmHg（20°C）
[illegible]：0.830
[illegible]：[illegible]100g/100mL（0°C）[illegible]
[illegible]/[illegible]：[illegible]

[illegible]

[illegible]

[illegible]：[illegible]
[illegible] TDLo：243gm/kg/35W-C (RTECS)
[illegible] LD50：1g/kg[illegible]
[illegible] LD50：1.94g/kg[illegible]
[illegible] LD50：20.5g/kg (RTECS)
[illegible]
[illegible]：IARC、ACGIH、NTP、EPA[illegible]
[illegible]

[illegible]

[illegible]

[illegible]

(PRTR)

PRTR MSDS

MSDS (2007)

Registry of Toxic Effects of Chemical Substances NIOSH CD-ROM

GHS nite ( ) HP

GHS MSDS HP